ANALYTICA CHIMICA ACTA, VOL. 219 (1989)

AUTHOR INDEX

Abe, H.
—, Kanaya, S., Takahashi, Y. and Sasaki, S.-I.
Combined semiconductor gas sensor system for detection of specific substances in particular environments 213
Adlercreutz, P., see Miyabayashi, A. 27
Albericio, F., see Bassedas, M. 161
Alonso, J.
—, Bartrolí, J., Del Valle, M. and Barber, R.
Sandwich techniques in flow-injection analysis. Part 2. Simultaneous determination of iron (II) and total iron 345
Athanasiou-Malaki, E.
— and Koupparis, M.A.
Kinetic-potentiometric study and analytical appplications of micellar-catalyzed reactions of 1-fluoro-2,4-dinitrobenzene with amino compounds 295

Bador, R., see Morin, M. 67
Baldo, M.-A., see Daniele, S. 9, 19
Barber, R., see Alonso, J. 345
Bartrolí, J., see Alonso, J. 345
Bassedas, M.
—, Albericio, F. and López-Calahorra, F.
Quantitative monitoring of carboxyl groups in polymers 161
Beer, D., de, see de Beer, D. 351
Bermejo-Barrera, P., see Vazquez-Gonzalez, J.F. 79
Bermejo-Martinez, F., see Vazquez-Gonzalez, J.F. 79
Berrettoni, M., see Zamponi, S. 153
Blet, V.
—, Pons, M.-N. and Greffe, J.L.
Separation of ammonia with a gas-permeable tubular membrane 309
Buøen, S., see Wickstrøm, T. 141
Burns, D.T.
— and Tungkananuruk, N.
Spectrophotometric determination of molybdenum in steel after extraction with thiocyanate and butyltriphenylphosphonium bromide into microcrystalline benzophenone 323

Carchon, H.
— and Eggermont, E.
Automation and data management in isotachophoresis 247
Cardwell, T.J.
—, Cattrall, R.W., Iles, P.J. and Hamilton, I.C.
Photo-cured polymers in ion-selective electrode membranes. Part 4. An ultraviolet laser cured membrane for potassium 135
Carmo Freitas, M.
— and Martinho, E.
Neutron activation analysis of reference materials by the k_0-standardization and relative methods 317
Cattrall, R.W., see Cardwell, T.J. 135

Daniele, S.
—, Baldo, M.-A., Ugo, P. and Mazzocchin, G.-A.
Determination of heavy metals in real samples by anodic stripping voltammetry with mercury microelectrodes. Part 1. Application to wine 9
Daniele, S.
—, Baldo, M.-A., Ugo, P. and Mazzocchin, G.-A.
Determination of heavy metals in real samples by anodic stripping voltammetry with mercury microelectrodes. Part 2. Application to rain and sea waters 19
Das, J., see Sengupta, B. 339
De Beer, D.
— and Sweerts, J.-P.R.A.
Measurement of nitrate gradients with an ion-selective microelectrode 351
Dechaud, H., see Morin, M. 67
Del Valle, M., see Alonso, J. 345
Desai, H.B., see Kayasth, S.R. 313
Devey, P.J.
Potentiometric determination of fluoride in coal ores and slags after direct fusion 335
Drescher, A.
—, Kucharkowski, R., Kluge, W. and Schwarz, Th.

Precise determination of boron by titration with a multiparametric curve-fitting procedure for data evaluation 273

Eggermont, E., see Carchon, H. 247
Fedeeva, V.I.
—, Tikhomirova, T.I., Yuferova, I.B. and Kudryavtsev, G.V.
Preparation, properties and analytical application of silica with chemically grafted hydroxamic acid groups 201
Fernandez-Romero, J.M.
—, Luque de Castro, M.D. and Valcárcel, M.
Kinetic determination of lactate dehydrogenase in blood serum by multi-detection with a cyclic flow-injection system 191
Francis, C.G., see Koudelka, M. 45

Goto, K., see Kasahara, I. 239
Grases, F.
— and March, P.
Determination of phytic acid based on inhibition of crystalline growth of calcium oxalate monohydrate 89
Greffe, J.L., see Blet, V. 309
Grimalt, J.O., see Olive, J. 257

Hamilton, I.C., see Cardwell, T.J. 135
Hata, N., see Kasahara, I. 239
Havezov, I.
— and Russeva, E.
Graphite-furnace atomization of phosphorus 127
Hulanicki, A.
— and Jedral, W.
Analytical possibilities of square-wave amperometry 37

Iles, P.J., see Cardwell, T.J. 135
Imasaka, T., see Ishibashi, K. 181
Imasaka, T., see Kawabata, Y. 223
Imura, H., see Iwata, Y. 97
Ishibashi, K.
—, Sakamaki, S., Imasaka, T. and Ishibashi, N.
Determination of uranium at ultratrace levels by time-resolved laser fluorimetry 181
Ishibashi, N., see Ishibashi, K. 181
Ishibashi, N., see Kawabata, Y. 223
Ishii, T., see Yamaoka, K. 123
Iturriaga, H., see Olive, J. 257

Iwata, Y.
—, Imura, H. and Suzuki, N.
Substoichiometric isotope-dilution determination of sulphur after conversion to methylene blue and ion-pair extraction with dodecyl sulphate 97

Jedral, W., see Hulanicki, A. 37

Kakeba, A., see Kasahara, I. 239
Kamichika, T., see Kawabata, Y. 223
Kanai, M., see Kasahara, I. 239
Kanaya, S., see Abe, H. 213
Kasahara, I.
—, Kanai, M., Taniguchi, M., Kakeba, A., Hata, N., Taguchi, S. and Goto, K.
Bis[2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulphopropylamino)phenolato] cobaltate(III) as a counter ion for the extraction and spectrophotometric determination of long-chain quaternary ammonium salts and tertiary alkylamines in the presence of each other 239
Kawabata, Y.
—, Kamichika, T., Imasaka, T. and Ishibashi, N.
Fiber-optic sensor for carbon dioxide with a pH indicator dispersed in a poly(ethylene glycol) membrane 223
Kayasth, S.R.
—, Desai, H.B. and Sundaresan, M.
Determination of traces of rare earth elements in high-purity uranium by ion-exchange separation and neutron activation γ-spectrometry 313
Kendall, D.S.
Identification and quantification of *p*-chlorobenzenesulfonic acid in groundwater 165
Kluge, W., see Drescher, A. 273
Kojima, T.
— and Shigetomi, Y.
Extraction of complexes of iron(III) and other metals with bis(2-ethylhexyl) phosphoric acid into molten biphenyl/naphthalene 171
Koudelka, M.
— and Francis, C.G.
Surface modification of a planar electrochemical microcell 45
Koupparis, M.A., see Athanasiou-Malaki, E. 295
Kryger, L., see Thomsen, K.N. 105

Kucharkowski, R., see Drescher, A. 273
Kudryavtsev, G.V., see Fedeeva, V.I. 201

Lazaro, F.
—, Luque de Castro, M.D. and Valcárcel, M.
Integrated retention/spectrophotometric detection in flow-injection analysis. Determination of iron in water and wine 231
Leon-Gonzalez, M.E.
—, Santos-Delgado, M.J. and Polo-Diez, L.M.
Flow-injection spectrophotometric determination of fluoride based on alizarin fluorine blue in the presence of sodium dodecyl sulphate 329
López-Calahorra, F., see Bassedas, M. 161
Lund, W., see Wickstrøm, T. 141
Luque de Castro, M.D., see Fernandez-Romero, J.M. 191
Luque de Castro, M.D., see Lazaro, F. 231

Marassi, R., see Zamponi, S. 153
March, P., see Grases, F. 89
Martinho, E., see Carmo Freitas, M. 317
Mattiasson, B., see Miyabayashi, A. 27
Mazzocchin, G.-A., see Daniele, S. 9, 19
Meier, R.
— and Werner, G.
Investigation of the vanadium(III) /vanadium(II) /*N*-(hydroxyethyl) ethylenediaminetriacetic acid system by cyclic voltammetry and differential pulse polarography 281
Miwa, T.
—, Murakami, M. and Mizuike, A.
Speciation of copper in fresh waters 1
Miyabayashi, A.
—, Reslow, M., Adlercreutz, P. and Mattiasson, B.
A potentiometric enzyme electrode for monitoring in organic solvents 27
Mizuike, A., see Miwa, T. 1
Morin, M.
—, Bador, R. and Dechaud, H.
Detection of europium(III) and samarium(III) by chelation and laser-excited time-resolved fluorimetry 67
Moriyama, H., see Yamaoka, K. 123
Murakami, M., see Miwa, T. 1
Murti, S.S.
—, Rajan, S.C.S. and Subrahmanyam, J
Errors in the determination of silica in lead-bearing samples caused by preliminary separation of lead sulphate 177

Natsume, Y., see Yamaoka, K. 123

Olive, J.
—, Grimalt, J.O. and Iturriaga, H.
Resolution of overlapping peaks in gas and liquid chromatography. Evaluation of different statistical and empirical functions 257

Polo-Diez, L.M., see Leon-Gonzalez, M.E. 329
Pons, M.-N., see Blet, V. 309

Rajan, S.C.S., see Murti, S.S. 177
Reslow, M., see Miyabayashi, A. 27
Ruoff, P., see Stordal, E.Aa. 147
Russeva, E., see Havezov, I. 127

Sakamaki, S., see Ishibashi, K. 181
Santos-Delgado, M.J., see Leon-Gonzalez, M.E. 329
Sasaki, S.-I., see Abe, H. 213
Schwarz, Th., see Drescher, A. 273
Sengupta, B.
— and Das, J.
Preconcentration of trace amounts of mercury(II) in water on picolinic acid amide-containing resin 339
Shigetomi, Y., see Kojima, T. 171
Skov, H.J., see Thomsen, K.N. 105
Staden, J.F., van, see van Staden, J.F. 54
Stordal, E.Aa.
— and Ruoff, P.
Determination of calcium ion in oil-based drilling fluids with an ion-selective electrode 147
Subrahmanyam, J., see Murti, S.S. 177
Sundaresan, M., see Kayasth, S.R. 313
Suzuki, N., see Iwata, Y. 97
Sweerts, J.-P.R.A., see De Beer, D. 351

Taguchi, S., see Kasahara, I. 239
Takahashi, Y., see Abe, H. 213
Taniguchi, M., see Kasahara, I. 239
Thomsen, K.N.
—, Skov, H.J. and Kryger, L.
Programmable analyzer for voltammetric and chronopotentiometric experiments 105

Tikhomirova, T.I., see Fedeeva, V.I. 201
Tungkananuruk, N., see Burns, D.T. 323

Ugo, P., see Daniele, S. 9, 19

Valcárcel, M., see Fernandez-Romero, J.M. 191
Valcárcel, M., see Lazaro, F. 231
Van Staden, J.F.
Flow-injection system with ion-exchange separation and potentiometric detection for the determination of three halides 54
Vazquez-Gonzalez, J.F.
—, Bermejo-Barrera, P. and Bermejo-Martinez, F.
Determination of traces of molybdenum in foods by electrothermal atomic absorption spectrometry 79

Werner, G., see Meier, R. 281
Wickstrøm, T.
—, Lund, W. and Buøen, S.
Comparison of five membrane electrode designs, and a study of poly(vinyl chloride) membranes with monoaza crown ethers 141

Yamaoka, K.
—, Ishii, T., Natsume, Y. and Moriyama, H.
Viscometric assay for determining lysozyme activity 123
Yuferova, I.B., see Fedeeva, V.I. 201

Zamponi, S.
—, Berrettoni, M. and Marassi, R.
Square-wave anodic stripping voltammetry with a mercury-plated reticulated vitreous carbon electrode 153